



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

1543-3

Date of Issuance:

9/1/15

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

WFY 1502

Name and Address of Registrant (include ZIP Code):

Mary Hunt, Exponent, Inc.
 c/o W.F. Young, Inc.
 302 Benton Drive
 East Longmeadow, MA 01028

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Kable Bo Davis, Product Manager 3
 Invertebrate and Vertebrate Branch 1
 Registration Division (7505P)

Date:

9/1/15

2. You are required to comply with the data requirements described in the DCIs identified below:

- a. Deltamethrin: GDCI-097805-889
GDCI-097805-1100
GDCI-097805-1210

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCIs listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: http://www.epa.gov/oppsrrd1/contacts_prd.htm

3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

4. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, “EPA Reg. No. 1543-3.”

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 08/05/2015
- Alternate CSF 1 dated 08/05/2015
- Alternate CSF 2 dated 08/05/2015
- Alternate CSF 3 dated 08/05/2015

If you have any questions, please contact Maggie Rudick by phone at 703-347-0257, or via email at rudick.maggie@epa.gov.

Enclosure

[Note to Reviewer: [brackets] and/or (parenthesis) indicate optional text that may or may not appear on final printed labeling]

WFY1502

Alternate Brand Names:

- Absorbine® UltraShield® EX Flea & Tick Collar
- Absorbine® UltraShield® EX Flea & Tick Collar for Dogs
- Absorbine® UltraShield® EX 6-Month Flea & Tick Collar for Dogs
- Absorbine® UltraShield® EX Six Month Flea & Tick Collar for Dogs
- Absorbine® UltraShield® Flea & Tick Collar
- Absorbine® UltraShield® Flea & Tick Collar for Dogs
- Absorbine® UltraShield® 6-Month Flea & Tick Collar for Dogs
- Absorbine® UltraShield® Six Month Flea & Tick Collar for Dogs
- Absorbine® Fleas-X® Flea & Tick Collar for Dogs

[For Extruded Collars] ONE SIZE FITS ALL

[For Injection Molded Collars – Specified] [ONE SIZE FITS ALL] [LARGE DOGS] [MEDIUM DOGS] [SMALL DOGS] [SMALL BREEDS] [PUPPIES 12 WEEKS & OLDER]

DO NOT USE ON CATS

ACTIVE INGREDIENT

Deltamethrin 4.0%

OTHER INGREDIENTS 96.0%

Total 100.0%


DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR CAUTION

See [Back][Insert] [or] [Side] Label [Panel(s)] for Additional Precautionary Statements

Net Weight:

[For Extruded Collars] 0.9 oz. (25.5 g) [(1 Collar) (ADJUSTABLE - ONE SIZE FITS ALL)]

[For Injection Molded Collars] 0.97 oz. (27.5 g) [One Size Fits All] (or) 0.65 oz. (18.4 g) [Small] (or) 0.85 oz. (24.1 g) [Medium] (or) 0.97 oz. (27.5 g) [Large] XX oz (XX g) [Multi Packs]



[PRODUCT INFORMATION]

[WFY1502 provides full season, up to 6 months protection against fleas and ticks.]

[Use WFY1502 year round for [optimum][most effective][continuous] control.]

[Replace every 6 months or sooner if needed.]

[WFY1502 contains deltamethrin insecticide and has been specially formulated in a polymer matrix to provide effective control of fleas and ticks for up to 6 months.]

[Maximum effectiveness may not occur for 2-3 weeks after collar placement.]

[Consider bathing your dog with an EPA registered flea and tick shampoo if your dog is infested to provide immediate relief from itching and biting before applying WFY1502 [collar]].

[Fleas (*Ctenocephalides sp.*) on the dog will be killed.]

[Fleas which are present in the dog's environment that may infest your dog will be killed.]

[Ticks on the dog will be killed, including Brown dog tick (*Rhipicephalu sanguineus*), American dog tick (*Dermacentor variabilis*), and deer ticks (*Ixodes scapularis* and *Ixodes pacificus*) [which may transmit Lyme disease.]]

[Collar protects dogs from fleas and tick up to 6 months when worn continuously.]

[Apply new collar on dog every 6 months.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS 12 WEEKS AND OLDER****[Directions for Extruded Collars]**

Do not open (package)(tin)(carton) until ready to use. Dust forms on collar during storage. Do not get dust in mouth or eyes. Wipe collar with a damp paper towel or disposable cloth prior to applying, to remove dust on collar. Place collar around dog's neck, adjust for fit, and buckle in place. Leave 2 or 3 inches for extra adjustment. Cut off and dispose of any excess length by wrapping in newspaper and placing in trash. Wash hands after placing collar on dog.

(OR)

[Directions for Injection Molded Collars]

Do not open (package)(tin)(carton) until ready to use. Dust forms on collar during storage. Do not get dust in mouth or eyes. Remove collar from package and stretch to full length. [The tabs that held the collar in place will fall off when stretching; pull on any remaining tabs to remove them.] Wipe collar with a damp paper towel or disposable cloth prior to applying, to remove dust on collar. Place collar around dog's neck; adjust for fit by sliding the collar through the buckle and restraining loops. Cut off and dispose of any excess length by wrapping in newspaper and placing in trash. Wash hands after placing collar on dog.

[Directions Continued for Extruded or Injection Molded Collars]

The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that when fastened, will snugly slide over the dog's head. Maximum effectiveness may not occur for 2-3 weeks after collar placement. Water does not affect the collar's effectiveness or the pet's protection. If the dog goes swimming or is out in the rain, it is not necessary to remove the collar. WFY1502 may be used in addition to a lead or constraint collar. Use only one WFY1502 at a time. Collar should be worn continuously. Apply a new collar every 6 months.

STORAGE AND DISPOSAL

Pesticide Storage: Store this product in a cool, dry place away from children and pets.

Pesticide Disposal and Container Handling: Do not reuse container or used collar. Dispose of in trash.

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product or information regarding human or animal medical emergencies call 1-800-xxx-xxxx. Call 1-XXX-XXX-XXXX for additional product information.	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Use Restrictions

Do not open package containing collar until ready to use. Do not use on puppies under 12 weeks. Do not use on cats. Consult a veterinarian before using this product on debilitated; aged, pregnant, medicated, or nursing animals. Sensitivities may occur after using ANY pesticide products for pets. If signs of sensitivity occur, remove collar and bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

[WARRANTY

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. To the extent consistent with applicable law, the user or buyer shall assume all such risks. W.F. Young Inc. is committed to providing high quality products. To the extent consistent with applicable law, W.F. Young makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise that extend beyond statements on this label. To the extent consistent with applicable law, W.F. Young, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.]

EPA Reg. No. 1543-G

EPA Est. No. 87823-MO-001

[Manufactured for:] [Distributed by:]

W.F. Young, Inc.
302 Benton Drive
East Longmeadow, MA 01028
©WFY

[The following claims/text are optional and may or may not appear anywhere on the final printed labeling:]

Fleas

Kills Fleas [for up to 6 months]

Kills fleas that may (cause)(transmit) [anemia][bartonellosis][tapeworms][Flea Allergy Dermatitis (FAD)][flea bite dermatitis][flea bite anemia]

Kills fleas and may reduce the incidence of Flea Allergy Dermatitis (FAD)

Kills fleas which may be a source of flea allergy dermatitis] [(and) flea bite anemia][(and)tapeworm]

Prevents new flea infestations

Kills adult fleas [before they lay eggs]

Flea (control) (prevention) for dogs [& puppies 12 weeks and older]

Ticks

Kills Ticks [for up to 6 months]

Kills ticks that may (carry)(transmit) [Rocky Mountain Spotted Fever][babesiosis][anaplasmosis][Lyme disease]]

Kills ticks for 6 months, including Deer ticks (vector of Lyme disease and anaplasmosis), American dog ticks (vector of Rocky Mountain spotted fever and ehrlichiosis), and Brown dog ticks (vector of ehrlichiosis, anaplasmosis, bartonellosis, canine hemoplasmosis, babesiosis)]

Kills ticks that may transmit disease

Tick (control)(prevention) for dogs [& puppies 12 weeks and older]

Kills ticks (including deer ticks which may carry Lyme disease)]

Kills Fleas and Ticks [for up to 6 Months]

Provides [long lasting] up to 6 months (control)(protection) [from fleas and ticks]

Flea & Tick control (for dogs)

Flea & Tick collar (for dogs)

Controls fleas & ticks (on dogs)

Prevents fleas & ticks (on dogs) (& puppies over 12 weeks of age)

For use on dogs and puppies over 12 weeks of age

Stays active for up to 6 months

Collar Fit Claims

Collar Lock Design

Perfect Fit [Design]

Comfortable Collar Design

Perfect [Fit] Design

Perfect Adjust [Design]

Lock in Place Design

Won't Slide [Design]

Slide [to] [and] Fit

[New] Firm Buckle Design

Slide [and] Stay Design

Right Size [Design]

Right Size Fit [Design]

Fits neck up to [26"] [or 23"]

Fits Neck to [specific inch size]

Adjustable Collar Design

Fits dogs of all sizes

Comfort (fit)(design)

Pressure release design

Secure fit [design][for all size dogs]

Adjusts for perfect fit

Other

New [only for use up to 6 months after first release of shipment]

Slow Release Formula

Sustained release formula

Full effect reaches at 2 to 3 weeks

All weather collar

Water does not affect (collar) (flea and tick control)

Water does not affect collar or dog's protection

Water resistant

Waterproof [protection][formula]

Weatherproof [protection][formula]

All season collar

Long Lasting [Protection][Control] [for up to 6 months]

Provides up to 6 months control [against fleas and ticks]

Continuous protection

For [Dogs] [Large Dogs] [Medium Dogs] [Small Dogs] [& Puppies 12 weeks & older] [Small Breeds]

Convenient

Easy to (use)(apply)(attach)

Apply new collar every 6 months

For dogs (and puppies) 12 weeks of age and older

(gray)(red)(pink)(yellow)(white)(black) [collar] color

[Reflective][Fashionable][Bling][Visibility Clips][Snap On (Reflectors)(Bling)(Tracker)][Collar Clips][Collar Bling]

[Visibility] clips for added visibility

Tag (loop)(holder) included

[Includes] GPS tracking chip

Fits right over [existing] lead collar

Multi[-]Pack

For multiple dog [and puppy 12 weeks & older] households]

(Package)(Tin)(Carton)

Reliable alternative to flea and tick spot on treatment

Absorbine the name you can trust for your dog

Protect your dog with Absorbine

Absorbine - Trusted Since 1892

www.absorbinepet.com

[MADE IN THE USA]
